Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/CA05/000412

International filing date: 18 March 2005 (18.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 60/553,937


Filing date: 18 March 2004 (18.03.2004)

Date of receipt at the International Bureau: 15 June 2005 (15.06.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





THIORUNIUM BED STRANGS DEANYORR CAN

TO ALL TO WHOM THESE: PRESENTS SHALL COMES
UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

May 20, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 60/553,937

FILING DATE: March 18, 2004

PCT/CA05/00412

By Authority of the

COMMISSIONER OF PATENTS AND TRADEMARKS

Certifying Officer

PTO/SB/16 (01-04)

Approved for use through 07/31/2005. OMB 0551-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filling a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No.

INVENTOR(S)							
Given Name (first and middle [if any])		Family Name or Sumame		Residence (City and either State or Foreign Country)			
Nigel Doug		Boast Heselton		Surrey, BC	Kelowna, BC, Canada Surrey, BC, Canada		
Additional inventors are being named on theseparatel			separately numb	numbered sheets attached hereto			
TITLE OF THE INVENTION (500 characters max)							
METHOD AND APPARATUS FOR THE USE OF OZONE AS A VERICIDE							
Direct all correspondence Custamer Number:	to: CORF	RESPONDENCE ADDRESS					
Film or Individual Name Fasken Martineau DuMoulin LLP							
	1075 West Georgia Street						
Address Suite 2100							
City	Vancouver		State	BC	Zip	V6B 3G2	
Country	Canada		Telephone	604.631.4743	Fax	604.632.4743	
ENCLOSED APPLICATION PARTS (check all that apply)							
✓ Specification Number of Pages 3 ☐ Drawing(s) Number of Sheets ☐ Application Data Sheet. See 37 CFR 1.76				CD(s), Number Other (specify) Research & Analysis Report (32 pages)			
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT							
Applicant claims small entity status. See 37 CFR 1.27. A check or money order is enclosed to cover the filing fees. The Director is herby authorized to charge filing fees or credit any overpayment to Deposit Account Number: Payment by credit card. Form PTO-2038 is attached.					FILING FEE Amount (\$) 80.00		
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government. No. Yes, the name of the U.S. Government agency and the Government contract number are:							
Respectfully submitted, SIGNATURE TYPED or PRINTED NA	Kaufu ME Frederick Kaufm			Date O C REGISTRATIO (If appropriate) Docket Numbe	NO4	<u> 12004</u> 4444 072	

TELEPHONE 604.631.4743

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including operating, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the gathering, preparing, and submitting the complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and amount of fine, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS TRADENCE, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SE/17 (10-03)
Approved for use through 07/31/2006. OMB 0551-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
ons are required to respond to a collection of information unless it displays a valid OMB control number.

THE THE ALICE STATE AL	Complete if Known					
FEE TRANSMITTAL	Application Number					
f TV 2004	Filing Date					
for FY 2004	First Named Inventor Boast, Nigel et al					
Effective 10/01/2003. Patent fees are subject to annual revision.	Examiner Name					
x Applicant claims small entity status. See 37 CFR 1.27	Art Unit					
TOTAL AMOUNT OF PAYMENT (\$) 80.00	Attorney Docket No. TRE00072					
	FEE CALCULATION (continued)					
METHOD OF PAYMENT (check all that apply)						
	B. ADDITIONAL FEES arge Entity : Small Entity					
Donnell Assessed	Fee Fee Fee Fee Fee Description					
l populi	Code (\$) Code (\$)					
Number	1051 130 2051 65 Surcharge - late filling fee or oath 1052 50 2052 25 Surcharge - late provisional filling fee or					
Account	cover sheet					
m mt	1053 130 1053 130 Non-English specification 1812 2,520 1812 2,520 For filing a request for ex parte reexamination					
Chama fee(s) indicated below Credit any overpayments "	1812 2,520 1812 2,520 For filing a request for ex parte reexamiltation 1804 920* 1804 920* Requesting publication of SIR prior to					
Charge any additional fee(s) or any underpayment of fee(s)	Examiner action					
Charles in play are in the same and a same a	1805 1,840° 1805 1,840° Requesting publication of SIR after Examiner action					
to the above-identified deposit account.	1251 110 2251 55 Extension for reply within first month					
	1252 420 2252 210 Extension for reply within second month					
	1253 950 2253 475 Extension for reply within third month					
Fee Fee Fee Fee Pee Description Fee Paid 1	1254 1,480 2254 740 Extension for reply within fourth month					
Code (\$) Code (\$) 1001 770 2001 385 Utility filing fee	1255 2,010 2255 1,005 Extension for reply within fifth month					
	1401 330 2401 165 Notice of Appeal					
	1402 330 2402 165 Filing a brief in support of an appeal					
1004 770 2004 385 Reissue filing fee	1403 290 2403 145 Request for oral hearing					
1005 160 2005 80 Provisional tiling tee	1451 1.510 1451 1.510 Petition to institute a public use proceeding 1452 110 2452 55 Petition to revive - unavoidable					
SUBTOTAL (1) (5) 00.00 1	l					
THE PROPERTY OF THE PROPERTY AND DESCRIPTION	1453 1,330 2453 665 Petition to revive - unintentional 1501 1,330 2501 665 Utility issue fee (or relissue)					
Pes from I	1502 480 2502 240 Design issue fee					
Total Claims -20** = X = 4	1503 640 2503 320 Plant Issue fee					
Independent3** = X = 1	1460 130 1460 130 Petitions to the Commissioner					
	1807 50 1807 50 Processing fee under 37 CFR 1.17(q)					
E- D	1806 180 1806 180 Submission of Information Disclosure Stint					
CDCG (4) GDCG (4)	8021 40 8021 40 Recording each patent assignment per property (times number of properties)					
1202 18 2202 9 Claims in excess of 20	1809 770 2809 385 Filing a submission after final rejection					
1201 88 2201 43 Independent claims in excess of 3	(37 ČFR 1.129(a)) 1810 770 2810 385 For each additional invention to be					
1203 200 2203 140 manple content claims	examined (37 CFR 1.129(b))					
1204 86 2204 43 ** Reissue Independent claims over original patent	1801 770 2801 385 Request for Continued Examination (RCE)					
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent	1802 900 1802 900 Request for expedited examination of a design application					
	Other fee (specify)					
SUBTOTAL (2) (5)	*Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$)					
**or number previously paid, if greater: For Reissues, see above (Complete (# eppiksable))						
SUBMITTED BY	Registration No. 44444 Telephone 604.631.4743					
Name (Print/Type) Frederick Kaufman	(Attomet/Agant) Date 03/17/03					

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038. be included on this form. Provide credit card information and authorization on PTO-2038. be included by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on including gathering, preparing, and submitting the complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Petent and the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Petent and Tredemark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Fasken Martineau DuMoulin LLP * Barristers and Solicitors Patent and Trade-mark Agents

Suite 2100 1075 Georgia Street West Vancouver, British Columbia, Canada V6E 3G2

604 631 3131 Telephone 604 631 3232 Facsimile



Doran Ingalls
Direct 604 631 4743
Facsimile 604 632 4743
dingalls@van.fasken.com



March 17, 2004 File No.: TRE00072

BY COURIER

U.S. Patent and Trademark Office 2011 South Clark Place, Customer Window Mail Stop Provisional Patent Application Crystal Plaza Two, Lobby, Room 1B03 Arlington, Virginia 2202

Dear Sirs/Mesdames:

Re: New Provisional Patent Application

Title: METHOD AND APPARATUS FOR

THE USE OF OZONE AS A VERICIDE

Inventors: Boast, Nigel et al.

We enclose the following documents for filing in the U.S. Patent and Trademark Office:

1. Fee Transmittal;

2. Provisional Application for Patent Cover Sheet

3. Specification, together with Research & Analysis Report; and

4. Money Order in the amount of \$80.00 in payment for the prescribed fees.

Thank you for your assistance.

Yours truly,

FASKEN MARTINEAU DUMOULIN LLP

Doran Ingalls

DJI/rat Encl.

DM_VAN/TRE0035-TRE00072/6156140.1

'Fasken Martineau DulMoulin LLP is a limited liability partnership under the laws of Ontario and includes law corporations.

Vancouver

Calgary

Yellowknife

Toronto

Montréal

Québec

New York

London

Method and Apparatus for the Use of Ozone as a Vericide

ECONOMIC SOLUTIONS FOR THE TREATMENT OF SARS AND OTHER VIRUSES & BACTERIA IN THE HOSPITALITY & OTHER INDUSTRIES The Problem.

- > High global people traffic spreading emerging viruses.
- > Emerging viruses such as SARS have high morbidity and mortality and can be difficult to treat.
- > Virtually impossible to screen infected people and prevent them from spreading the disease.
- > High risk to the hospitality industry, leading to reduced earnings and share prices of public companies in the hospitality sector.
- > Other sectors such as prisons, elderly care facilities; airports and facilities used for disease control require improved cost-effective disinfection procedures to reduce the spread of disease.

The aggressive spread of SARS, an emerging virus, from Asia to other countries including Canada has occasioned considerable expenses and opportunity costs to the airline, hospitality and tourism industries as well as the health care industry. Consequently, the spread of SARS has had a devastating effect on affected countries' economies.

SARS and other emerging viruses are not the only viruses of concern. A variety of airborne, gastroenteric and enteric viruses, including varicella zoster (chicken pox), measles virus, rhinovirus (cold), influenza virus (flu), poliovrus, rotavirus, hepatitis A, norwalk virus, adenovirus, and bacteria all represent risks of contagion and infection.

Ozone has long been recognized as an effective biocide (a biochemical disinfectant) or vericide, and also a powerful deodorizer, having a number of attractive features:

•Pervasive: Ozone is all pervasive in a closed space.

• Efficient: Ozone is highly effective as a virucide, and is cheap to administer.

•Simple: Installation set up and operation of ozone generators is simple.

•<u>Affordable:</u> Amortizing the cost of the solution over a 4 year time period, taking into account industry standard vacancy rates, gives a cost at less then 20 cents a night.

The concentrations and exposure times required for ozone to be an effective disinfectant, and hence biocide, are known to be toxic for humans. Government agencies have therefore strongly discouraged the use of ozone to in indoor spaces. See the attached document entitled "Ozone: A Virucidal Agent for Conventional and Emerging Viruses" (referred to herein as the "Research Report") for further details.

The Solution- The safe use of ozone as a virucide.

ij

The present invention comprises portable equipment and apparatus, specifications and operating procedures to provide adequate ozone exposure of indoor spaces to achieve an effective degree of sanitization or sterilization, followed by removal or acceleration of the half life of ozone into oxygen, and the dissipation or removal of any gaseous by-products of reaction with areas exposed to ozone

The invention includes identifying the variables and co-variables impacting the safe and effective use of ozone as a vericide in the hospitality and other industries. In summary, the invention provides for;

- 1. Use of corona and other types of ozone generating equipment, suitably adapted to optimize the effects of rapid, and uniform elevation of precise ozone levels for use as a biocide, in conjunction with such applications for use as a biocide on specific room configurations and on specific, and common surface areas in the hospitably and other target industries.
- 2. The use of such apparatus described in para 1 above and any other apparatus, including measurement devices, to control and maintain optimum concentrations of ozone to ensure that the ozone is effective over measured time periods to act as a vericide or biocide.
- 3. Also to simultaneously provide during such time (when ozone reaches dangerous levels to humans) that various safeguards and safety procedures are available to prevent unnecessary and harmful exposure to humans.
- 4. Thereafter, the acceleration of the half-life of ozone and its dissipation after its use as a biocide, including the rapid consumption of gaseous aldehyde byproducts to reduce their concentrations to levels accepted as safe for human exposure.

As an example, the method may include the following steps:

- a. Inserting a suitably adapted portable ozone generator in a closed environment, such as a hotel room;
- b. Elevating and maintaining ozone levels in the closed environment to a level sufficient to act as a vericide taking into account the humidity, size and configuration, surface areas, and airflow of the closed environment;
- c. Using devices and procedures to restrict access to the closed environment while the ozone levels are elevated to prevent exposure when the ozone levels are dangerously high; and)
- d. Removing the portable ozone generator from the closed environment after the biocide process.
- e. Directly, thereafter accelerating the half like of ozone or consuming the ozone and gaseous aldehyde by-products (possibly including the use of a catalyst) for a period of time taking into account the ozone levels, the humidity, the airflow and the size of the closed environment, and surface areas, until the ozone level is below toxic levels to humans.

f.	Using devices and procedures to restrict access to the closed environment while the ozone levels are being lowered to prevent exposure when the ozone levels are dangerously high.					

Copy provided by USPTO from the IFW Image Database on 05/17/2005